

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for processing video data, the method comprising:
receiving a block of current video data in a first format;
encoding the block of current video data using data stored in a second format;
storing new data in the second format, wherein the second format comprises chrominance and luminance data in an interleaved YCbCr 4:2:0 format; and
storing the encoded video data.
2. (Original) The method of Claim 1, wherein the stored data contains information about a previous frame.
3. (Original) The method of Claim 1, wherein the stored data contains image data from a previous frame.
4. (Original) The method of Claim 1, wherein the block of current video data in the first format is a portion of a current frame.
5. (Original) The method of Claim 1, wherein the stored data in the second format is a portion of a previously coded frame.

6. (Original) The method of Claim 1, wherein the second format has a lower resolution than the first format.

7. (Original) The method of Claim 6, wherein the second format comprises reduced chrominance information as compared to the first format.

8. (Canceled)

9. (Original) The method of Claim 4, wherein the first format comprises interleaved chrominance and luminance data.

10. (Original) The method of Claim 4, wherein the first format and the second format comprises interleaved chrominance and luminance data.

11. (Original) The method of Claim 1, wherein each block of a video frame comprises a predefined grouping of pixels.

12. (Currently Amended) The method of Claim 1, wherein encoding the block of the current video frame data comprises compressing the block of the current video frame data.

13. (Currently Amended) The method of Claim 1, wherein encoding the block of the current video frame data comprises comparing the block of the current video frame data to a corresponding block of another video frame data.

14. (Currently Amended) The method of Claim 13, wherein comparing the block of the current video frame data to a corresponding block of another video frame data is preceded by:

retrieving the corresponding block of the other video frame data in the second format.

15. (Original) The method of Claim 1, further comprising:
transferring the new data in the second format to a memory location; and
storing the new data for encoding of a corresponding block of a subsequent
video frame.

16. (Original) The method of Claim 15, further comprising:
storing the encoded video data in a third format in a buffer; and
transferring the buffered data to a memory location on completion of encoding
the block.

17. (Original) The method of Claim 16, further comprising:
transferring a portion of the block of video data from the buffer to the memory
location if the buffer is full prior to encoding the entire block of video data.

18. (Currently Amended) The method of Claim 1, further comprising:
transmitting the encoded block of the current video ~~frame~~ data over a wireless
communications link.

19. (Original) The method of Claim 1, wherein encoding the block of
current video data using the data stored in the second format is preceded by converting
a block of a data in the first format to the second format.

20. (Original) The method of Claim 1, wherein the block of current video
data comprises a macroblock line of video data.

21. (Currently Amended) A communications device comprising:
a controller that is configured to receive a block of current video data in a first
format, to encode the block of current video data using data stored in a second format,
to store new data in the second format, wherein the second format comprises

chrominance and luminance data in an interleaved YCbCr 4:2:0 format and to store the encoded video; and

a transmitter that is configured to transmit the encoded video data.

22. (Original) The communications device of Claim 21, wherein the second format has a lower resolution than the first format.

23. (Canceled)

24. (Currently Amended) The communications device of Claim 21, wherein the controller encodes the block of the current video ~~frame~~ data by compressing the block of the current video ~~frame~~ data.

25. (Original) The communications device of Claim 21 further comprising:
a buffer that receives the video data; and
a memory location for storing encoded video data;

wherein the controller is further configured to transfer the new data in the second format from the buffer to the memory location, and to encode a corresponding block of a subsequent video frame using new data in the second format from the memory location.

26. (Original) The communications device of Claim 25, wherein the controller is further configured to transfer a portion of the block of video data from the buffer to the memory location if the buffer is full prior to encoding the entire block of video data.

27. (Currently Amended) A computer program product for processing video data, comprising:

a computer readable media having computer readable program code embodied therein, the computer readable program code comprising:

computer readable program code configured to receive a block of current video data in a first format;

computer readable program code configured to encode the block of current video data using data stored in a second format, wherein the second format comprises chrominance and luminance data in an interleaved YCbCr 4:2:0 format;

computer readable program code configured to store new data in the second format; and

computer readable program code configured to store the encoded video data.

28. (Original) The computer program product of Claim 27, wherein the second format has a lower resolution than the first format.

29. (Original) The computer program product of Claim 28, wherein the second format comprises interleaved chrominance and luminance data.

30. (Currently Amended) The computer program product of Claim 27, wherein the computer readable program code to encode the block of the current video frame data further comprises computer readable program code to compress the block of the current video frame data.

31. (Original) The computer program product of Claim 27 further comprising:

computer readable program code configured to transfer the new data in the second format from a buffer to a memory location;

computer readable program code configured to encode a corresponding block of a subsequent video frame using the new data in the second format in the memory location.

32. (Original) The computer program product of Claim 31, further comprising computer readable program code configured to transfer a portion of the

block of video data from the buffer to the memory location if the buffer is full prior to encoding the entire block of video data.

33. (Currently Amended) A system for processing video data, the system comprising:

means for receiving a block of current video data in a first format;

means for encoding the block of current video data using data stored in a second format;

means for storing new data in the second format, wherein the second format comprises chrominance and luminance data in an interleaved YCbCr 4:2:0 format; and

means for storing the encoded video data.

34. (Original) The system of Claim 33, wherein the second format has a lower resolution than the first format.

35. (Canceled)

36. (Currently Amended) The system of Claim 33, wherein the means for encoding further comprises means for compressing the block of the current video frame data.

37. (Original) The system of Claim 33, further comprising:

means for transferring the new data in the second format from a buffer to a memory location;

means for encoding a corresponding block of a subsequent video frame using the new data in the second format in the memory location.

38. (Original) The system of Claim 33, further comprising means for transferring a portion of the block of video data from the buffer to the memory location if the buffer is full prior to encoding the entire block of video data.